# **Vinuteman**Excellence Meets Clean



# **OUR GOAL**

IS TO MAKE YOUR

**JOB EASIER** 

### TABLE OF CONTENTS

| INDEE OF CONTENTS            |       |
|------------------------------|-------|
| COMPACT FLOOR SCRUBBERS      | 1     |
| 12 GALLON AUTO-SCRUBBERS     | 2     |
| 19 GALLON AUTO-SCRUBBERS     | 3     |
| 23-30 GALLON AUTO-SCRUBBERS  | 4     |
| MAX RIDE SERIES              | 5     |
| 27-38 GALLON RIDER SCRUBBERS | 6     |
| MAX RIDE AUTONOMOUS RIDER    | 7     |
| CARPET CARE EQUIPMENT        | 8-12  |
| WALK BEHIND SWEEPERS         | 13    |
| RIDER SWEEPERS               | 14    |
| FLOOR MACHINES & BURNISHERS  | 15-16 |
| RESTROOM CLEANING EQUIPMENT  | 17    |
| COMMERCIAL VACUUMS           | 18-19 |
| ABOUT US                     | 20    |
| SPORT TECHNOLOGY             | 21    |





# NOT JUST CLEAN, IT'S GREEN

Minuteman offers a complete line of commercial and industrial maintenance products for today's cleaning industry. Our wide range of products includes walk-behind and ride-on auto scrubbers, critical filter vacuums, air vacuums, floor machines, battery and propane burnishers, commercial vacuums and industrial tank vacuums for dry or wet/dry application, carpet vacuums and extractors, and sweepers. There is a Minuteman machine for every application.



### **aqua** stop

Aqua-Stop Technology has been introduced and implemented at Minuteman International. Machines equipped with Aqua-Stop use 20% less water and chemical than machines not equipped with Aqua-Stop. This water and chemical reduction factor translated into economic gains for Minuteman customers as well as environmental benefits, with no loss in the cleaning effectiveness of the Minuteman scrubbers. On average, Aqua-Stop will save Minuteman customers a total of \$31.55 per thousand square feet of facility size per year. This can potentially save customers thousands of dollars per year.

#

Minuteman International Inc 14N845 U.S. Route 20 Pingree Grove, IL 60140 Phone: (847) 264-5400 Fax: (847) 683-5207 Minuteman is a full line manufacturer of sweepers and scrubbers; as well as critical filter vacuums, industrial and commercial vacuums, floor and carpet machines designed for commercial and institutional facilities.

Come Visit our Website at www.minutemanintl.com

#### **COMPACT FLOOR SCRUBBERS**



Port A Scrub 12 Cord or Battery

**E14 Auto Scrubber** 

# Minuteman floor scrubbers deliver impressive cleaning power in portable and compact machines that are easy to use by any type of operator

| Model                       | Port A Scrub 12<br>Battery      | Port A Scrub 12<br>Cord         |
|-----------------------------|---------------------------------|---------------------------------|
| Machine<br>Dimensions       | 15"L x 17"W x 44"H              | 15"L x 17"W x 44"H              |
| Net Weight                  | 49 lbs.                         | 55 lbs.                         |
| Solution/Re-<br>covery Tank | 1 gallon                        | 1 gallon                        |
| Tank Con-<br>struction      | Polyethylene                    | Polyethylene                    |
| Brush Type                  | 2, counter-rotating cylindrical | 2, counter-rotating cylindrical |
| Brush Width                 | 12"                             | 12"                             |
| Brush RPM                   | 400 RPM                         | 650 RPM                         |
| Cleaning<br>Path            | 13"                             | 13"                             |
| Cleaning<br>Rate            | 3,775 sq. ft/hr.                | 3,770 sq. ft/hr.                |
| Sound Level                 | 66 db (A)                       | 69 db (A)                       |
| <b>Brush Motor</b>          | .4 hp / 300 W                   | .4 hp / 300 W                   |
| Charger                     | On-board                        | NA                              |
| Battery Voltage             | 24V                             | NA                              |
| <b>Power Cord</b>           | NA                              | 40'                             |

| Model                  | PORT A<br>SCRUB 14      | E14BQP                         | E14115                         |
|------------------------|-------------------------|--------------------------------|--------------------------------|
| Cleaning<br>Path Width | 14"                     | 14"                            | 14"                            |
| Squeegee<br>Width      | 18"                     | 16.5"                          | 16.5"                          |
| Brush<br>Speed         | 780 RPM                 | 170 RPM                        | 170 RPM                        |
| Brush<br>Motor         | .8 HP                   | 250 W                          | 250 W                          |
| Solution<br>Tank       | 2.5 gallon              | 4.2 gallon                     | 4.2 gallon                     |
| Recovery<br>Tank       | 3 gallon                | 4.8 gallon                     | 4.8 gallon                     |
| Solution<br>Pump       | 30 PSI                  |                                |                                |
| Vacuum                 | 65 CFM                  |                                |                                |
| Cord                   | 40' or battery          | Battery                        | 50'                            |
| Rear<br>Wheels         | 7"                      | 8"                             | 8"                             |
| Dimensions             | 27"L x 18"W x<br>21.5"H | 28.3"L x<br>19.3"W x<br>25.4"H | 28.3"L x<br>19.3"W x<br>25.4"H |
| Weight                 | 97 lbs.                 | 139 lbs. (w/<br>batteries)     | 88.2 lbs.                      |

#### 12 GALLON AUTO-SCRUBBERS







E17, E20 Disc, E20 SPORT\*

**E20 Cylindrical** 

**E26 ECO, E26 ECO SPORT\*** 

#### Covers 17,000 up to 26,000 Sq. Ft. Per Hour Low Brush Deck Cleans Around & Underneath Obstacles Small, Compact Design for Tight Spaces



Advanced technology makes the 12 gallon E Series a part of the innovative walk-behind scrubber line. Easy-to-understand controls ensure that the machines are simple to operate.

The compact and sleek design results in total operator comfort by focusing on ergonomics and provides an excellent line of sight to the area to be cleaned. Available in cylindrical, disc, and hospital ready models. The adjustable handle and ergonomic hand bails offer superior handling of the machine and the traction drive models offer ergonomic, adjustable speed regulation with the turn of a dial.

The E Series has an on-board charger which is convenient and allows the machine to be charged anywhere and features simple brush loading and unloading. A parabolic squeegee is standard on all models and an option on the brush drive models. The squeegees are designed so that no operator adjustment is necessary.

| Model                         | E17 Disc      | E20 Disc*     | E20 Cylindrical | E26 ECO*      |
|-------------------------------|---------------|---------------|-----------------|---------------|
|                               | 17"           | 20"           | 20"             | 26"           |
| Cleaning Path Width           |               |               |                 |               |
| Squeegee Width                | 33"           | 33"           | 33"             | 35.4"         |
| Theoretical Productivity (BD) | 12,750 ft2/hr | 15,000 ft2/hr | NA              | 36,464 ft2/hr |
| Theoretical Productivity (TD) | 23,188 ft2/hr | 27,280 ft2/hr | 27,280 ft2/hr   | 36,464 ft2/hr |
| Working Speed (BD)            | 1.7 mph       | 1.7 mph       | N/A             | 3.1 mph       |
| Working Speed (TD)            | 3.1 mph       | 3.1 mph       | 3.1 mph         | 3.1 mph       |
| Rated Voltage                 | 24 volts      | 24 volts      | 24 volts        | 24 volts      |
| Vacuum Flow                   | 65 cfm        | 65 cfm        | 65 cfm          | 65 cfm        |
| Vacuum Waterlift              | 45 inches     | 45 inches     | 45 inches       | 45 inches     |
| Vacuum Power                  | .60 HP        | .60 HP        | .60 HP          | .60 HP        |
| <b>Drive Motor Power (TD)</b> | 1/5 HP        | 1/5 HP        | 1/5 HP          | 1/5 HP        |
| Brush Type                    | Disc          | Disc          | Cylindrical     | Disc          |
| Brush Motor(s) Power          | ¾ HP          | ¾ HP          | ¾ HP            | 3/4 HP        |
| # of Brushes                  | 1             | 1             | 1               | 2             |
| Brush RPM                     | 180 RPM       | 180 RPM       | 600 RPM         | 180 RPM       |
| Solution Capacity             | 12 gallon     | 12 gallon     | 12 gallon       | 12 gallon     |
| Recovery Capacity             | 13 gallon     | 13 gallon     | 13 gallon       | 13 gallon     |
| Weight with Batteries (BD)    | 306 lbs.      | 313 lbs.      | N/A             | 372 lbs.      |
| Weight without Batteries (BD) | 196 lbs.      | 203 lbs.      | N/A             | 238 lbs.      |
| Weight with Batteries (TD)    | 365 lbs.      | 372 lbs.      | 360 lbs.        | 372 lbs.      |
| Weight without Batteries (TD) | 231 lbs.      | 238 lbs.      | 238 lbs.        | 238 lbs.      |
|                               |               |               |                 |               |

<sup>\*</sup>Models available with SPORT technology. To learn more about the enhanced productivity of SPORT technology, speak to your Minuteman representative.

#### 19 GALLON AUTO-SCRUBBERS









**E24 Cylindrical** 

E26 Disc

**H26 for Hospitals** 

**E30 ECO** 

#### Covers 24,000 up to 26,000 Sq. Ft. Per Hour Low Brush Deck Cleans Around & Underneath Obstacles Small, Compact Design for Tight Spaces

| ( | GREEN FEATURES                     |
|---|------------------------------------|
|   | <b>6</b> 20% WATER SAVINGS         |
|   | SOUND LEVEL < = 70dBs              |
|   | TOOL FREE BRUSH & SQUEEGEE REMOVAL |
|   | MAINTENANCE FREE GEL BATTERIES     |

| Model                         | E24 Cylindrical | E26 Disc      | H26 Hospital  | E30 ECO       |
|-------------------------------|-----------------|---------------|---------------|---------------|
| Cleaning Path Width           | 24"             | 26"           | 26"           | 30"           |
| Squeegee Width                | 35.4"           | 35.4"         | 35.4"         | 35.4"         |
| Theoretical Productivity (BD) | 32,736 ft2/hr   | 35,484 ft2/hr | 35,464 ft2/hr | 40,920 ft2/hr |
| Theoretical Productivity (TD) | 32,736 ft2/hr   | 35,484 ft2/hr | 35,464 ft2/hr | 40,920 ft2/hr |
| Working Speed (BD)            | 3.1 mph         | 3.1 mph       | 3.1 mph       | 3.1 mph       |
| Working Speed (TD)            | 3.1 mph         | 3.1 mph       | 3.1 mph       | 3.1 mph       |
| Rated Voltage                 | 24 volts        | 24 volts      | 24 volts      | 24 volts      |
| Vacuum Flow                   | 65 cfm          | 65 cfm        | 65 cfm        | 65 cfm        |
| Vacuum Waterlift              | 65 inches       | 65 inches     | 65 inches     | 65 inches     |
| Vacuum Power                  | .86 HP          | .86 HP        | .86 HP        | .86 HP        |
| Drive Motor Power (TD)        | .42 HP          | .42 HP        | .42 HP        | .42 HP        |
| Brush Type                    | Cylindrical     | Disc          | Disc          | Disc          |
| Brush Motor(s) Power          | 1 HP            | .75 HP        | .75 HP        | .75 HP        |
| # of Brushes                  | 2               | 2             | 2             | 2             |
| Brush RPM                     | 850 RPM         | 180 RPM       | 180 RPM       | 180 RPM       |
| Solution Capacity             | 19 gallon       | 19 gallon     | 19 gallon     | 19 gallon     |
| Recovery Capacity             | 19 gallon       | 19.5 gallon   | 19.5 gallon   | 19.5 gallon   |
| Weight with Batteries (BD)    | 787 lbs.        | 677 lbs.      | 677 lbs.      | 472 lbs.      |
| Weight without Batteries (BD) | 346 lbs.        | 346 lbs.      | 346 lbs.      | 346 lbs.      |
| Weight with Batteries (TD)    | 787 lbs.        | 677 lbs.      | 677 lbs.      | 472 lbs.      |
| Weight without Batteries (TD) | 346 lbs.        | 346 lbs.      | 346 lbs.      | 346 lbs.      |
|                               |                 |               |               |               |

Specifications subject to change without prior notice.

Advanced technology makes the 19 gallon E Series a part of the innovative walk-behind scrubber line. Easy-to-understand controls ensure that the machines are simple to operate.

The compact and sleek design results in total operator comfort by focusing on ergonomics and provides an excellent line of sight to the area to be cleaned. Available in cylindrical, disc, and hospital ready models. The adjustable handle and ergonomic hand bails offer superior handling of the machine and the traction drive models offer ergonomic, adjustable speed regulation with the turn of a dial.

The E Series has an on-board charger that is convenient and allows the machine to be charged anywhere and features simple brush loading and unloading. A parabolic squeegee is standard on all models. The squeegees are designed so that no operator adjustment is necessary.

#### **30 GALLON AUTO-SCRUBBERS**





E28 Cylindrical E30 Disc E3330 Disc

Covers 28,000 up to 39,000 Sq. Ft. Per Hour Low Brush Deck Cleans Around & Underneath Obstacles Small, Compact Design for Tight Spaces



The E Series 30 gallon auto scrubbers deliver advanced technology in an innovative walk-behind scrubber line.

Easy-to-understand controls ensure that the machines are simple to operate. The compact and sleek designs result in total operator comfort by focusing on ergonomics and provides an excellent line of sight to the area to be cleaned. The adjustable handle and ergonomic hand bails offer superior handling of the machine and the traction drive models offer ergonomic, adjustable speed regulation with the turn of a dial.

The on-board chargers are convenient and allow the machines to be charged anywhere. Features easy brush loading and unloading and a parabolic squeegee is standard on the traction drive models. The squeegees are designed so that no operator adjustment is necessary.

| Model                         | E28 Cylindrical | E30 Disc      | E3330 Disc*   |
|-------------------------------|-----------------|---------------|---------------|
| Cleaning Path Width           | 28"             | 30"           | 33"           |
| Squeegee Width                | 37"             | 43"           | 44"           |
| Theoretical Productivity (TD) | 38,192 ft2/hr   | 40,920 ft2/hr | 45,208 ft2/hr |
| Working Speed (TD)            | 3.1 mph         | 3.1 mph       | 3.1 mph       |
| Rated Voltage                 | 24 volts        | 24 volts      | 24 volts      |
| Vacuum Flow                   | 65 cfm          | 65 cfm        | 65 cfm        |
| Vacuum Waterlift              | 65 inches       | 45 inches     | 65 inches     |
| Vacuum Power                  | .86 HP          | .86 HP        | .86 HP        |
| Drive Motor Power (TD)        | .7 HP           | .7 HP         | .42 HP        |
| Brush Type                    | Cylindrical     | Disc          | Disc          |
| Brush Motor(s) Power          | 1 HP            | .75 HP        | .75 HP        |
| # of Brushes                  | 2               | 2             | 2             |
| Brush RPM                     | 850 RPM         | 180 RPM       | 180 RPM       |
| Solution Capacity             | 23 gallon       | 30 gallon     | 30 gallon     |
| Recovery Capacity             | 23 gallon       | 30 gallon     | 30 gallon     |
| Weight with Batteries (TD)    | 1058 lbs.       | 915 lbs.      |               |
| Weight without Batteries (TD) | 470 lbs.        | 470 lbs.      |               |

<sup>\*</sup>Aqua-Stop Equipped





MAX RIDE 20 MAX RIDE 26

The MAX Ride Series are the first compact micro rider scrubbers engineered with large rider durability in mind. Built on an extremely durable e-coated steel frame with large integrated solution and recovery tank capacities, the MAX Ride maximizes productivity at an exceptional value. These innovative Micro riders with a unique squeegee assembly to brush proximity offers best in class water pick up. Enhance the Max Ride 20 or 26 with the integration of Minuteman's SPORT technology (OPTIONAL).

| Model                    | Max Ride 20 ECO OR SPORT*                         | Max Ride 26 ECO OR SPORT*                         |
|--------------------------|---|---|
| Scrub Head Type          | Disc  | Disc  |
| Scrub Path               | 20 in (53 cm)                                     | 26 in (66 cm)                                     |
| <b>Solution Capacity</b> | 18 gal (68L)                                      | 21 gal (79L)                                      |
| Recovery Capacity        | 18 gal (68L)                                      | 23.5 gal (89L)                                    |
| Max Speed                | 3.1 mph (5 kh)                                    | 3.1 mph (5 kh)                                    |
| Max Productivity         | 27,200 sq. ft/hr (2527 sq m<br>/ hr)              | 32,490 sq. ft/hr (3018 sq m<br>/ hr)              |
| Actual Productivity      | 22,015 sq. ft./ hr (2045 sq m<br>/ hr)            | 24,562 sq. ft./ hr (2282 sq<br>m / hr)            |
| Brush Pressure           | Floating- Locked-                                 | Floating- Locked-74<br>lbs./102Nm                 |
| Brush Speed              | 185 RPM   | 175 RPM   |
| Vacuum Airflow           | 69 cfm (32.4L/sec)                                | 69 cfm (32.4L /sec)                               |
| Vacuum Waterlift         | 68" H2O (1717 mm H2O)                             | 68" H2O (1717 mm H2O)                             |
| Sound Pressure           | 68 dB   | 68 dB   |
| Water Flow               | .45 gpm (1.7 L / min)                             | .45 gpm (1.7 L / min)                             |
| Power Source             | Battery (2) 12V 140 Ah                            | Battery (2) 12V 210 Ah                            |
| Battery Charger          | On Board  | On Board  |
| Maximum Run Time         | 3-3.5 hrs.  | 3-3.5 hrs.  |
| Dimensions W/ Squeegee   | 47.5"L X 25.5"W X 45" H                           | 52"L X 31"W X 45" H                               |
| Weight Without Batteries | 342 lbs (155 kg) No Solution                      | 437 lbs (198 kg) No Solution                      |
| Weight With Batteries    | 691 lbs. Full Solution and 140<br>AH battery pack | 882 lbs. Full Solution and 140<br>AH battery pack |

<sup>\*</sup>SPORT technology delivers variable 185/400 RPM brush speed. For more information on SPORT technology, speak with a Minuteman representative today.







#### 27 to 38 GALLON RIDE ON FLOOR SCRUBBERS







**E RIDE 28 or SPORT** 



**E RIDE 32 or SPORT** 

Covers 26,000 up to 45,450 Sq. Ft. Per Hour Automatic Scrubbing & Ergonomic Operator Comfort BIG Productivity In Compact Platform



The Minuteman E Ride Series Ride-on Automatic scrubbers boasts a 26" up to 32" scrub deck with easy to use ergonomic controls.

It's dual side entry, 180 degree view, and 360 degree turning radius on its own axis provides any operator the comfort and maneuverability to complete even the larger complex jobs in a fraction of the time. Scrubbing performance is matched with exceptional water pick-up with its low profile, stainless steel, urethane blade assembly.

Aqua Stop technology is also available as yet another productivity and cleaning enhancement feature. Interchangeable disc or cylindrical brush system is available on the 28" and 32" models.

| MODEL                | E RIDE 26 ECO<br>OR SPORT* | E RIDE 28 OR<br>SPORT* | E RIDE 32 OR<br>SPORT* |
|----------------------|----------------------------|------------------------|------------------------|
| Cleaning Width       | 26"                        | 28"                    | 32"                    |
| Working Speed        | 0-4 MPH                    | 0-4 MPH                | 0-4 MPH                |
| Vacuum Waterlift     | 70"                        | 70"                    | 70"                    |
| Vacuum Power         | 1 HP                       | 1 HP                   | 1 HP                   |
| Drive Motor Power    | .75 HP                     | 1.2 HP                 | 1.2 HP                 |
| Brush Type           | Disc                       | Disc                   | Disc or Cylindrical    |
| Brush Motor Power    | 1.25 HP                    | 1.5 HP                 | 2 HP                   |
| Brush RPM            | 300 RPM                    | 300 RPM                | 300/900 RPM            |
| Front Wheel Diameter | (2) 10"                    | (2) 12"                | (2) 12"                |
| Rear Wheel Diameter  | (2) 12"                    | (2) 14"                | (2) 14"                |
| Solution Capacity    | 27 gallon                  | 32 gallon              | 32 gallon              |
| Recovery Capacity    | 27 gallon                  | 38 gallon              | 38 gallon              |
| Aqua Stop            | Yes                        | No                     | No                     |

<sup>\*</sup>Available with optional SPORT technology. Speak with your Minuteman representative today for more information on SPORT technology enhancements.

# Brain-Enabled Max Ride 20 Autonomous Scrubber with EMMA Technology



The partnership with Brain Corp allows the implementation of the EMMA Navigation technology platform. EMMA - Environmental Monitoring And Measuring Application - navigation technology allows the MR20 to operate, through this technology, autonomously.

Brain Corp's revolutionary floor care technology significantly increases efficiency while also delivering sizable cost savings.

The Brain-enabled scrubber frees janitorial staff to focus on higher-value tasks and also teaches them to manage exciting new technology.

| Model            | Max Ride 20 Autonomous               |
|------------------|--------------------------------------|
| Cleaning Path    | 20" Disc                             |
| Squeegee Width   | 25"                                  |
| Brush Speed      | 200-350-450 RPM                      |
| Max. Grade       | 6%                                   |
| Working Speed    | 3.1 mph (5 kh)                       |
| Max Productivity | 27,200 sq. ft/hr (2527 sq m<br>/ hr) |
| Noise Level      | 68 dB                                |
| Dimensions       | 47.5" L x 25.5" W x 45" H            |
| Weight           | 691 lbs.                             |
| Tank Capacity    | 18 gallon solution & recovery        |
| Max. Run Time    | 3-3.5 hours                          |
| *********        | :- bl- 405 /400 DDM b b d            |

<sup>\*</sup>SPORT technology delivers variable 185/400 RPM brush speed. For more information on SPORT technology, speak with a Minuteman representative today.







| Robotic Features |  |
|------------------|--|
| Control          | Manual & Autonomous  |
| Learning System  | Autonomous function is training by user to replicate multiple scrubbing routes.  |
| Navigation       | Multi-layer sensor system perceives environment, controlling vehicle and navigation.   |
| Security         | Password protected user interface.   |
| Safety           | Overlapping sensors detect and avoid people and obstacles. Equipped with auto-stop button. Remote monitoring capability.                                   |
| Support          | Robotic Operating Center (ROC), manned by Brain Corp technicians, provides remote supervision, fleet management analytics and first line customer service. |

| Key Features  |
|---|
| Auto Load and Unload of Brush or Pad Driver                           |
| On-board Charger  |
| Capable of turning 360 Degrees, providing exceptional maneuverability |
| SPORT Technology (optional)   |



#### RESTORATIVE CARPET CLEANING

#### **RUSH SERIES**

#### This is why you need a Rush Extractor:

- Powerful cleaning performance with features like dual vacuums for optimum recovery and up to 500 psi all in a compact, easy to use design
- Unique external heater boosts cleaning performance, protects internal electrical components, and eliminates downtime
- Simple two screw access to components for easy maintenance and service
- Wand and hoses included in the package

Increase your productivity on those tough carpet restoration jobs with the NEW Rush portable extractors.



| Rush 100 Cold                | Rush 100  | Rush 500  |
|------------------------------|---|---|
| 12 gallon                    | 12 gallon   | 12 gallon   |
| 11 gallon                    | 11 gallon   | 11 gallon   |
| Dual 2-stage                 | Single 3-stage  | Dual 2-stage  |
| 100 psi                      | 100 psi   | 500 psi   |
| 150"                         | 117"  | 150"  |
| Polyethylene                 | Polyethylene  | Polyethylene  |
| ¾" aluminum                  | ¾" aluminum   | ¼" aluminum   |
| 10" non-marking              | 10" non-marking   | 10" non-marking   |
| 4" locking                   | 4" locking  | 4" locking  |
| 50 ft. detachable            | 50 ft. detachable   | Dual 50 ft. detachable  |
| 35"H x 31"L x 18"W           | 35"H x 31"L x 18"W  | 35"H x 31"L x 18"W  |
| 78 lbs.                      | 90 lbs.   | 106 lbs.  |
| 94 lbs.                      | 106 lbs.  | 123 lbs.  |
| 36.5"H x 31.5"L x 19"W       | 36.5"H x 31.5"L x 19"W  | 36.5"H x 31.5"L x 19"W  |
| 13.5 amps                    | 18.8 amps   | 17.1 amps/15.9 amps   |
| No Heat                      | Detachable – 1000 W   | Detachable – 2000 W   |
| 15′                          | 15′   | 25′   |
| Single Jet – Stainless Steel | Single Jet – Stainless Steel  | Dual Jet/S-bend Stainless Steel   |
|                              | 12 gallon  11 gallon  Dual 2-stage  100 psi  150"  Polyethylene  ¼" aluminum  10" non-marking  4" locking  50 ft. detachable  35"H x 31"L x 18"W  78 lbs.  94 lbs.  36.5"H x 31.5"L x 19"W  13.5 amps  No Heat  15' | 12 gallon  11 gallon  11 gallon  Dual 2-stage  100 psi  150"  117"  Polyethylene  ½" aluminum  10" non-marking  4" locking  50 ft. detachable  35"H x 31"L x 18"W  78 lbs.  94 lbs.  94 lbs.  36.5"H x 31.5"L x 19"W  13.5 amps  No Heat  Detachable — 1000 W  15'  11 gallon  10 psi  100 psi  117"  Polyethylene  ½" aluminum  ½" aluminum  ½" aluminum  10" non-marking  4" locking  50 ft. detachable  35"H x 31"L x 18"W  78 lbs.  90 lbs.  106 lbs.  36.5"H x 31.5"L x 19"W  18.8 amps  No Heat  Detachable — 1000 W  15' |

#### **GOTCHA SPOTTER & UPHOLSTERY**

The Gotcha! is designed for quick and easy spot removal and carpet maintenance operations that require maneuverability, efficiency, power

and hassle-free, one-person operation. 2 gallon capacity provides ample solution for cleaning multiple spots and compact size and easy-to-use controls make the Gotcha the ideal solution for quick and effective cleanup.



| Models            | Gotcha                                 |
|-------------------|--|
| Capacity          | 2 gallons                              |
| Voltage           | 115 / 240 Volts                        |
| Vacuum Motor      | 1.12 HP - 2-Stage                      |
| Waterlift         | 71"                                    |
| Air Flow          | 80 CFM                                 |
| Solution Pump     | 50 psi                                 |
| Cable             | 25' 18-3 wire with GFCI                |
| Construction      | Rotationally molded polyethylene       |
| Hand Tool         | 4" clear injection molded construction |
| Solution/Vac Hose | 8′                                     |
| Switch            | 2 position                             |
| Dimensions        | 19"L x 8.75"W x 17"H                   |
| Weight            | 19 lbs.                                |
| Wheel Diameter    | (2) 4"                                 |

#### **SELF-CONTAINED CARPET EXTRACTORS**



The X17 Series combines powered brush agitation with high pressure spray and a wide 17" vacuum shoe for unparalleled maintenance cleaning of carpets in offices, schools, hotels, medical centers, retail centers and more.

The patented ozone system on the CFS equipped units provide strong, chemical free deodorizing and sanitizing capability.

#### **AMBASSADOR SERIES**



The Ambassador Series can clean up to 2,500 sq. ft. per hour with brush agitation, solution injection and an effective vacuum system that does it all in one pass. Available in 14" and 17" wide models to meet your carpet cleaning needs. These self-contained carpet extractors are operator friendly and built tough with a non-corrosive polyethylene body and tanks and moisture resistant switches.

| Models         | Ambassador Jr.       |
|----------------|----------------------|
| Vac Motor      | 1 HP, 3-stage        |
| Waterlift/CFM  | 85"/95CFM            |
| Brush Motor    | 1/8 HP               |
| Voltage        | 115/240 V            |
| Solution Pump  | 50 psi               |
| Capacity       | 6 gallon             |
| Brush Speed    | 1800 RPM             |
| Cleaning Width | 14"                  |
| Cord           | 50′                  |
| Wheels         | 8"                   |
| Weight         | 75 lbs.              |
| Spray Jets     | 3 Quick Dis.         |
| Dimensions     | 34.5"H x 14"W x 36"L |

| Models                 | X17/X17<br>HP                              | X17 CFS                                    | X17 Plus/<br>Plus HP                    | X17 Plus CFS                            |
|------------------------|--|--|---|---|
| Cleaning Path<br>Width | 17" (43 cm)                                | 17" (43 cm)                                | 17" (43 cm)                             | 17" (43 cm)                             |
| Solution Tank          | 9 gallon (34<br>lt.)                       | 9 gallon (34<br>lt.)                       | 11 gallon (42<br>lt.)                   | 11 gallon (42<br>lt.)                   |
| Recovery Tank          | 7.5 gallon<br>(28.4 lt.)                   | 7.5 gallon<br>(28.4 lt.)                   | 10 gallon<br>(37.9 lt.)                 | 10 gallon<br>(37.9 lt.)                 |
| Vacuum Motors          | 2 HP<br>3-stage                            | 2 HP<br>3-stage                            | 2 HP 3-stage                            | 2 HP 3-stage                            |
| Solution<br>Pressure   | 50 psi / 100<br>psi                        | 50 psi                                     | 50 psi / 100<br>psi                     | 50 psi                                  |
| Brush Motor            | 1/6 HP                                     | 1/6 HP                                     | 1/6 HP                                  | 1/6 HP                                  |
| Tank<br>Construction   | Polyeth-<br>ylene                          | Polyeth-<br>ylene                          | Polyethylene                            | Polyethylene                            |
| Rated Voltage          | Available in<br>115V and<br>230V           | Available in<br>115V and<br>230V           | Available in<br>115V and<br>230V        | Available in<br>115V and<br>230V        |
| Rear Wheels            | 10"<br>non-mark-<br>ing                    | 10"<br>non-mark-<br>ing                    | 10"<br>non-marking                      | 10" non-mark-<br>ing                    |
| Waterlift              | 118"                                       | 118"                                       | 118"                                    | 118"                                    |
| Power Cord             | 50 ft.                                     | 50 ft.                                     | 50 ft.                                  | 50 ft.                                  |
| Brush Speed            | 1800 RPM                                   | 1800 RPM                                   | 1800 RPM                                | 1800 RPM                                |
| CFM                    | 99   | 99   | 99                                      | 99                                      |
| Spray Jets             | Dual jet                                   | Dual jet                                   | Dual jet                                | Dual jet                                |
| Options                | Scrub<br>wand, ET<br>tool, 15'<br>vac hose | Scrub<br>wand, ET<br>tool, 15'<br>vac hose | Scrub wand,<br>ET tool, 15'<br>vac hose | Scrub wand,<br>ET tool, 15'<br>vac hose |



#### X RIDE 28 RIDER CARPET EXTRACTOR



When you have a lot of carpet to clean, the X Ride 28 is the ultimate carpet cleaning solution in a rider carpet cleaner.

Cylindrical scrubbing action cleans both sides of the carpet fiber and a wide 28" cleaning path helps you get the job done quickly. Large 27 gallon capacity, easy operation, 100 psi pump and powerful vacuum provide up to 9,060 sq. ft. per hour of carpet cleaning performance while the operator rides in comfort.

| Models                   | X Ride 28                      |
|--------------------------|--------------------------------|
| Cleaning Path            | 28"                            |
| Theoretical Productivity | 9,060 ft2 / hour               |
| Working Speed            | 65 fpm                         |
| Rated Voltage            | 36 Volts                       |
| Vacuum Flow              | 152 CFM                        |
| Waterlift                | 70"                            |
| Vacuum Power             | (2) 36 Volt 1 HP               |
| Drive Motor (TD)         | 3/4 HP                         |
| Brush Type               | Cylindrical                    |
| <b>Brush Motors</b>      | (2) 3/4 HP                     |
| Number of Brushes        | 2                              |
| Solution Pump            | 100 psi                        |
| Solution Tank Capacity   | 27 gallon                      |
| Recovery Tank Capacity   | 24.5 gallon                    |
| Number of Spray Jets     | 1/interim or 4/restorative     |
| Front Wheels             | 3" x 10" polyurethane          |
| Rear Wheels              | 3" x 12" soft ride cross hatch |
| Battery                  | AGM 36 Volt 210 Ah             |
| Weight With Batteries    | 1.315 lbs.                     |
| Weight w/out Batteries   | 475 lbs.                       |
|                          |                                |

Specifications subject to change without prior notice.

#### Model A3S - Air Mover



A3S floor dryers are designed to create and channel airflow while maximizing CFM. A 1 HP motor provides the power and they can be operated at a pitch of 45 or 90 degree angles to circulate airflow where you need it. Three speeds provide versatility and the stackable, light-weight design makes the A3S easy to use.

| Models      | A3S                        |
|-------------|----------------------------|
| Power       | 115 V / 60 Hz              |
| Amps        | 2.8 / 2.3 / 2.1            |
| Safety      | ETL Listed                 |
| Cord Length | 25 ft.                     |
| Airflow     | 1100 CFM                   |
| Weight      | 28.7 lbs.                  |
| Dimensions  | 18.11"L x 16.73"W x 18.9"H |
| Material    | ABS                        |
| Motor       | 1/3 HP                     |

Specifications are subject to change without notice.

#### Phenom 15 & 18 Commercial Vacuums

The Phenom is brushing and vacuuming all in one operation – that means deep, thorough and gentle carpet cleaning.

The Phenom brushes thoroughly and quickly removes dirt that clings to the individual carpet fibers and ensures an optimum cleaning result, even on areas subject to heavy wear. The telescopic suction pipe and the flexible suction hose make it possible to vacuum curtains and furniture problem free. Clean sensitive areas with the germ-reducing Fibro filter (standard).

| Models                           | Phenom    |
|----------------------------------|-----------|
| Application                      | Dry       |
| Voltage                          | 115V      |
| Air Flow                         | 104 CFM   |
| By-Pass Motor                    | No        |
| Sound Level                      | 68 dB     |
| <b>Dust Bag Capacity</b>         | 1 gallon  |
| Weight                           | 17 lbs.   |
| Cable Length                     | 50 ft.    |
| Suction Hose                     | 5 ft.     |
| <b>Nominal Width Accessories</b> | 1.5"      |
| Vac Motor                        | 1 HP      |
| Brush Motor                      | 1/4 HP    |
| RPM                              | 5,000 RPM |





#### **BPV PRO BACKPACK VACUUM**

Designed for vacuuming carpet, hard floors and upholstery. Worn on the back to allow for easy and quick vacuuming while walking. Ideal for hallways, airplanes and commercial spaces.

The BPV has a lightweight ergonomic design, with a cushioned backpad that fits the curve of any operator's back. The comfortable shoulder and waist belt design reduces fatigue, making work easier.


Available in a HEPA model.

| Model       | BPV PRO              | BPV PRO HEPA         |
|-------------|----------------------|----------------------|
| Capacity    | 10 Quarts            | 10 Quarts            |
| Airflow     | 150 CFM              | 150 CFM              |
| Power       | 1340 Watts           | 1340 Watts           |
| Motor       | 1.5 HP, Single-Stage | 1.5 HP, Single-Stage |
| dB          | 67                   | 67                   |
| Amps        | 11.5                 | 11.5                 |
| Volts       | 115                  | 115                  |
| Static/Lift | 95                   | 95                   |
| Weight      | 10 lbs.              | 10.5 lbs.            |
| Height      | 23"                  | 23"                  |



#### **MPV 31 WIDE AREA VACUUM**





Minuteman's MPV®-31 Wide Area Vacuum commands powerful suction to clean large carpeted spaces with efficiency, speed, effortless maneuverability and quiet operation. Durably constructed of rotationally molded polyethylene, the MPV-31 will endure the rigors of heavy use. The lightweight, low-profile design combined with powerful brush action enables the MPV-31 to glide across carpet with ease and delivers impressive results.

Sweeping a wide 30" path, the MPV-31 cleans up to 25,000 sq. ft. per hour and greatly reduces labor time.

| Roto-molded polyethylene           |
|------------------------------------|
| Stainless steel                    |
| 30" x 3" nylon, chevron design     |
| 1,550 RPM                          |
| 1/4 HP                             |
| 4-position foot lever              |
| 212 CFM                            |
| (2) 1.1 HP (802 Watts)             |
| 72 dB                              |
| 75' 12-3 gauge, built-in cord wrap |
| 115 V, 60 Hz                       |
| 1.2 bushels                        |
| 1-1/4" diameter, extends 24"       |
| 26"x40" aluminum, telescopic       |
| Steel tubing, fully adjustable     |
| (2) 2" non-marking                 |
| (2) 12" non-marking                |
| 17.5"L x 31"W x 37"H               |
| 130 lbs.                           |
|                                    |

Specifications subject to change without prior notice.

#### 747 WIDE AREA CARPET VACUUMS



Clean faster, save labor! A wider sweeping path, combined with Minuteman's powerful vacuum system lets you clean up to 25,000 sq. ft. per hour - ideal for big cleaning jobs with wide areas. These battery and electric operated vacuums are durably constructed, yet lightweight in design, so they are easy to maneuver. The powerful brush action of the 747 provides easy glide across the carpet quickly, quietly and efficiently.

| Model         | 747 ELECTRIC            | 747 BATTERY                  |
|---------------|-------------------------|------------------------------|
| Dimensions    | 24"H x 38"L x<br>29.5"W | 24"H x 38"L x<br>29.5"W      |
| Brush Width   | 26.5"                   | 26.5"                        |
| Air Flow      | 200 CFM                 | 200 CFM                      |
| Brush Type    | Nylon                   | Conductive Nylon             |
| Bag Volume    | 9 ft³                   | 9 ft³                        |
| Cord Length   | 75′                     | None                         |
| Motor         | 1 HP, 115 V             | ¾ HP, PM, 24 VDC             |
| Rear Wheels   | 16"                     | 16"                          |
| Front Casters | 4"                      | 4"                           |
| Weight        | 145 lbs.                | 154 lbs. (no bat-<br>teries) |

13

#### **KLEEN SWEEP 27 - WALK-BEHIND SWEEPER**



The Kleen Sweep 27 is an ideal replacement for manual sweeping. It picks up dirt quickly without leaving dust behind and is lightweight, convenient, and virtually indestructible.

Great for workshops, outdoor areas, paths, machine shops, stockrooms, parks, small yards, parking areas and loading ramps. The Kleen Sweep 27 goes where large sweepers cannot.

| Model                 | KS25                          |
|-----------------------|-------------------------------|
| Cleaning Path Width   | 27"                           |
| Hopper Capacity       |                               |
| Main Broom            |                               |
| Side Broom            |                               |
| <b>Broom Material</b> | Synthetic                     |
| Dust Filter           | 99.97% efficient at 3 microns |
| Filter Shaker         | Manual                        |
| Filter Material       | Polyester                     |
| Filter Removal        | No tools necessary.           |
| Flaps                 | Non-marking                   |
| Battery               |                               |
| Charger               | On-board                      |
| Noise Level           | 63 dB                         |
|                       |                               |

#### **KLEEN SWEEP 25 - WALK-BEHIND SWEEPER**



The Kleen Sweep 25 is an ideal replacement for manual sweeping. It picks up dirt quickly without leaving dust behind and is lightweight, convenient, and virtually indestructible.

Great for workshops, outdoor areas, paths, machine shops, stockrooms, parks, small yards, parking areas and loading ramps. The Kleen Sweep 25 goes where large sweepers cannot.

| Model                      | KS25                          |
|----------------------------|-------------------------------|
| <b>Cleaning Path Width</b> | 25"                           |
| <b>Hopper Capacity</b>     | 1.06 cubic feet               |
| Main Broom                 | 16"                           |
| Side Broom                 | 11"                           |
| <b>Broom Material</b>      | Synthetic                     |
| Dust Filter                | 99.97% efficient at 3 microns |
| Filter Shaker              | Manual                        |
| Filter Material            | Polyester                     |
| Filter Removal             | No tools necessary.           |
| Flaps                      | Non-marking                   |
| Battery                    | 24V, 40 Ah gel battery (4)    |
| Charger                    | On-board                      |
| Noise Level                | 63 dB                         |

#### **KLEEN SWEEP 28 - WALK-BEHIND SWEEPER**



The Kleen Sweep 28 is an ideal replacement for manual sweeping. It picks up dirt quickly without leaving dust behind and is lightweight, convenient, and virtually indestructible.

Great for workshops, outdoor areas, paths, machine shops, stockrooms, parks, small yards, parking areas and loading ramps. The Kleen Sweep 28 goes where large sweepers cannot.

| Model                      | KS28                                |
|----------------------------|-------------------------------------|
| <b>Cleaning Path Width</b> | 28"                                 |
| <b>Hopper Capacity</b>     | 1.23 cubic feet                     |
| Main Broom                 | 20.1"                               |
| Side Broom                 | 15.8"                               |
| <b>Broom Material</b>      | Synthetic                           |
| Dust Filter                | 99.97% efficient at 3 microns       |
| Filter Shaker              | Manual                              |
| Filter Material            | Polyester                           |
| Filter Removal             | No tools necessary.                 |
| Flaps                      | Non-marking                         |
| Battery                    | 12V maintenance free battery system |
| Charger                    | On-board                            |
| Noise Level                | 63 dB                               |

#### **KLEEN SWEEP 32R - RIDER SWEEPER**



When considering the dust-free cleaning of small and medium-sized areas, you can't do better than the KS32R. The robust, Steel frame construction is heavy-duty quality which means the Minuteman Kleen Sweep 32R is a machine for professional use that can clean surfaces thoroughly and efficiently. The Kleen Sweep 32R offers operators simple conveniences such as maintenance free batteries, on-board charging station, wet sweep bypass, large hopper capacity and quiet operation.

| Model                  | KS32R  |
|------------------------|--|
| <b>Drive Motor</b>     | 0.8 HP / 24W   |
| <b>Brush Motor</b>     | 0.8 HP / 24W   |
| Battery System         | 24v Maintenance Free Bat-<br>teries / On-Board Charger |
| Sweeping Width         | 26"  |
| Width w/Broom          | 35" or 43.7"   |
| Sweeping Speed         | 3.7 mph  |
| Productivity           | 57,479 ft2 per hour                                    |
| <b>Hopper Capacity</b> | 2 x 6.6 gallons  |
| Filter & Filter Shaker | Yes  |
| Weight                 | 620 lbs.   |
| Dimensions             | 50.4"L x 35.7"W x 47.6"H                               |

#### **KLEEN SWEEP 40 - RIDER SWEEPER**



The Kleen Sweep 40R is designed for heavy duty commercial use. This unique sweeper is extremely maneuverable with up to four hours of non-stop run time. A solid channeled steel frame tough and built to last with easy access for serviceability.

The powerhouse can be used for sweeping hard floors or carpeted floors and is comfortable and easy to operate.

| Model                   | KS40R                   |
|-------------------------|-------------------------|
| Sweeping Width          | 40"                     |
| Main Broom              | 28"                     |
| Productivity            | 61,354 sq. ft. per hour |
| <b>Hopper Capacity</b>  | 2.1 cubic feet          |
| <b>Turning Radius</b>   | 70"                     |
| Sweeping Speed          | 4 mph                   |
| <b>Climbing Ability</b> | 12%                     |
| Length w/Side Broom     | 59"                     |
| Dimensions              | 59"L x 38"W x 52"H      |
| Weight w/Batteries      | 970 lbs.                |

#### **KLEEN SWEEP 47 - RIDER SWEEPER**



The Kleen Sweep 47R is designed for heavy duty commercial use. This unique sweeper is extremely maneuverable with up to four hours of non-stop run time. A solid channeled steel frame tough and built to last with easy access for serviceability.

The powerhouse can be used for sweeping hard floors or carpeted floors and is comfortable and easy to operate.

| Model                   | KS40R                   |
|-------------------------|-------------------------|
| Sweeping Width          | 50"                     |
| Main Broom              | 28"                     |
| Productivity            | 77,500 sq. ft. per hour |
| <b>Hopper Capacity</b>  | 2.1 cubic feet          |
| <b>Turning Radius</b>   | 70"                     |
| Sweeping Speed          | 4 mph                   |
| <b>Climbing Ability</b> | 12%                     |
| Length w/Side Broom     | 59"                     |
| Dimensions              | 59"L x 38"W x 52"H      |
| Weight w/Batteries      | 970 lbs.                |

#### FRONTRUNNER LOW & DUAL SPEED FLOOR MACHINES

The Frontrunner Series are durable steel and stainless steel floor machines in both low speed and dual speed configurations. Available in 17" and 20" diameters with non-marking PVC bumpers to prevent marking furniture or walls. Powered by a durable 1.5 HP 66 Frame motor with triple planetary gears to get you through those tough scrape-offs with ease.

| Model                    | Frontrunner 17               | Frontrunner 20               | Frontrunner DS               |
|--------------------------|------------------------------|------------------------------|------------------------------|
| Head Size                | 17" Head                     | 20" Head                     | 20" Head                     |
| Head Speed               | 175 RPM                      | 175 RPM                      | 180/320 RPM                  |
| Motor                    | 1.5 HP 66 frame Motor        | 1.5 HP 66 frame<br>Motor     | 1.5 HP 66 frame<br>Motor     |
| Gears                    | Triple planetary steel gears | Triple planetary steel gears | Triple planetary steel gears |
| Weight                   | 95 lbs.                      | 98 lbs.                      | 92 lbs.                      |
| Brush Cover              | Black Powder Coated          | Black Powder Coated          | Black Powder Coated          |
| <b>Shipping Weight</b>   | 112 lbs.                     | 115 lbs.                     | 112 lbs.                     |
| Handle                   | Anti-fatigue Handle<br>Grips | Anti-fatigue Handle<br>Grips | Anti-fatigue Handle<br>Grips |
| <b>Power Cord</b>        | 50′                          | 50′                          | 50′                          |
| Amperage Draw            | 14.4 Amps                    | 14.4 Amps                    | 14.4 Amps                    |
| Shipping Dimen-<br>sions | 48"H x 26.5"L x 23"W         | 48"H x 26.5"L x 23"W         | 48"H x 26.5"L x 23"W         |



#### **MIRAGE HIGH SPEED BURNISHERS**

Mirage burnishers simplify bringing a smooth, super high-gloss luster to any hard floor surface. They have a flexible pad driver with threaded pad centering device that conforms to the floor to give you an even and consistent shine. These durable steel and stainless steel burnishers are available in 1500 or 2000 RPM models with non-marking PVC bumpers to prevent making furniture or walls.

| Models                     | Mirage 1500                                       | Mirage 2000  |
|----------------------------|---|--|
| Head size                  | 20" Head  | 20" Head   |
| Head Speed                 | 1500 RPM  | 2000 RPM   |
| Motor                      | 1.5HP 66 Frame DC Rectified Motor,<br>Belt Driven | 1.5HP 66 Frame DC Rectified<br>Motor,<br>Belt Driven |
| <b>Brush Cover</b>         | Black Powder Coated                               | Black Powder Coated                                  |
| Weight                     | 96 lbs.   | 96 lbs.  |
| Handle Grips               | Anti-fatigue Handle Grips                         | Anti-fatigue Handle Grips                            |
| Power Cord                 | 75′   | 75′  |
| Amperage Draw              | 15 Amps   | 15 Amps  |
| Warranty                   | 2 year  | 2 year   |
| <b>Shipping Weight</b>     | 108 lbs.  | 108 lbs.   |
| <b>Shipping Dimensions</b> | 54"h x 31"L x 22.5" W                             | 54"h x 31"L x 22.5" W                                |



16

#### PROPANE BURNISHER



The Propane Burnisher from Minuteman is a power-house polisher with a wide 28" cleaning path and 1700 RPM ultra speed performance with productivity at 33,000 sq. ft. per hour. The 18 HP Kawasaki engine is propane fueled and frees the operator up the tethering of a cord operated burnisher.

| Model             | M220028K17X   |
|-------------------|---|
| Pad Size          | 27"   |
| Engine            | 18hp EnviroGard Kawasaki<br>603cc V-Twin Propane Engine |
| Pad Speed         | 1,800 RPM   |
| Propane Cylinder  | 20 lb. capacity   |
| Hour Meter        | Standard  |
| Sound Level       | 87-89 dB  |
| Productivity      | 33,000 sq. ft. per hour                                 |
| Weight            | 208 lbs.  |
| Certifications    | EPA, CARB, CE   |
| Catalytic Muffler | Standard  |
| Dimensions        | 54"L x 31"W x 47"H                                      |

#### **LUMINA 20 & 20TD BURNISHER**



Engineered for exceptional performance, Minuteman's Lumina™20 and Lumina 20TD Battery Burnishers utilize a 2.5 hp pad drive motor and Minuteman's exclusive patented PAMS® (Passive Air Management System) Dust Control System. PAMS helps to reduce the need for dust mopping after burnishing by capturing finish compound and dust particles. The result —innovative battery burnishers that provide high productivity, solid performance and increased labor savings benefits.

The Lumina 20 and Lumina 20TD battery burnishers are ideal for environments that require a high productivity burnisher such as hospitals, hotels, schools, office buildings and retail stores.

| Model            | LUMINA               |
|------------------|----------------------|
| Circuit Breakers | 70 amp & 50 amp      |
| Power Supply     | 35.4"                |
| Charger          | 36 Volts             |
| Pad Size         | 20"                  |
| Pad Motor        | 2.5 HP               |
| Pad Pressure     | Adjustable           |
| Pad RPM          | 2000 RPM             |
| Weight           | 445 lbs.             |
| Front Wheels     | 8" non-marking       |
| Rear Wheels      | 3" non-marking       |
| Dimensions       | 35"L x 18"W x 35.5"H |

#### TRS - TOTAL RESTROOM SYSTEM

| Model                | TRS17-115                            |
|----------------------|--------------------------------------|
| Solution Tank        | 17 gallon                            |
| Recovery Tank        | 15 gallon                            |
| Vacuum Motor         | Single 3-stage                       |
| Pump                 | 600 psi/.85 GPM – 450 psi nozzle     |
| Water Lift           | 120"                                 |
| Tank Construction    | Polyethylene                         |
| Baseplate            | 14" aluminum                         |
| Rear Wheels          | 10" non-marking                      |
| Casters              | 4" locking                           |
| Power Cord           | 50 ft.                               |
| Dimensions           | 39"H x 37"L x 22"W                   |
| Weight               | 108 lbs.                             |
| Electrical Draw      | 14.5 amps                            |
| Vacuum/Solution Hose | 25′                                  |
| Wand                 | Swivel wand with squeegee/brush head |
| Pressure Gun         | Included                             |
| Fixture Drying Hose  | 25' x 1.5" Diameter                  |

#### **Standard Tools**



45' stretch exhaust hose with cuff. blower tool and mesh carrying bag



45' vacuum hose with suction tool





50' high pressure solution line

Sink fill adapter hose kit







The TRS is a touch-free restroom cleaning system that deep cleans restrooms where mop and bucket fail. A built-in chemical metering system evenly applies cleaning solution, a high pressure pump pressure washes and deep cleans all surfaces and a powerful vacuum system quickly removes waste and water for a better clean. The TRS is equipped with a smart hose and tool management system and comes complete with all the tools to hit the ground running.

#### **Key Features:**

- Touch-free system deep cleans restrooms where mop and bucket fail
- 600 psi pump provides effective cleaning into the porous tile and grout lines and hard to reach places
- Simple two screw access to components for easy maintenance and service
- Wand, spray gun, and hoses included in the package
- Auto chemical feed for high productivity
- Wand, gun, and hose caddies for easy transport



800.323.9420 MINUTEMANINTL.COM

17

#### 290 WET/DRY VACUUM



- 6-15 gallon tank sizes available
- Wet/dry tool kit
- Optional wide area Big Gulp™ Squeegee
- Simple one-switch operation
- · Heavy duty, 14-3 jacketed power cord
- Drain port located at base of the machine
- Available in 220 V
- UL listed (not all models)

### 390 WET/DRY VACUUM



- 15 or 55 gallon tank sizes available
- Available in polyethylene or stainless steel
- Optional wide area Big Gulp™ Squeegee
- Self-seating intake for a positive vacuum seal
- Easily adaptable to any tool kit

- · Self-cleaning cloth filter bag
- Full bag indicator light
- UL listed (not all models)

#### **705-6 AIR VACUUM**



- 6 gallon tank size
- 3.5 gallon wet capacity
- .46 cu. ft. dry capacity
- Air operated, non-electric optional HEPA filtration
- No moving parts to replace
- Silenced down to low 80 dB
- 180" of waterlift

- Ideal where standard voltage is not available
- Uses compressed air & the Venturi Principle to create high flow & static lift
- Lifts or moves extensive variety of solid or liquid materials
- Tool kits available for commercial or industrial use

#### 705-15 AIR VACUUM



- 15 gallon tank size
- 10 gallon wet capacity
- 1.86 cu. ft. dry capacity
- Air operated, non-electric optional HEPA filtration
- No moving parts to replace
- Silenced down to low 80 dB
- 180" of waterlift

- Ideal where standard voltage is not available
- Uses compressed air & the Venturi Principle to create high flow & static lift
- Lifts or moves extensive variety of solid or liquid materials
- Tool kits available for commercial or industrial use

#### 705-55 AIR VACUUM



- 55 gallon tank size
- 45 gallon wet capacity
- 7.16 cu. ft. dry capacity
- Air operated, non-electric optional HEPA filtration
- No moving parts to replace
- Silenced down to low 80 dB
- 180" of waterlift

- Ideal where standard voltage is not available
- Uses compressed air & the Venturi
   Principle to create high flow & static lift
- Lifts or moves extensive variety of solid or liquid materials
- Tool kits available for commercial or industrial use

### 829 SERIES WET/DRY HEPA VACUUM



- 6-15 gallon tank sizes available
- Safe recovery of asbestos, lead, mold & other hazardous materials
- Operates at 72 dB
- Polyethylene tanks are durable, non-corrosive & dent proof
- UL listed (not all models)

- Patented, self-sealing intake ensures a positive vacuum seal
- Patented safety interlock system ensures filter is properly installed

#### CRV™ CLEAN ROOM VACUUM



- 4 gallon tank size
- ULPA filtration
- 99.999% efficient at 0.12 microns
- UL listed (not all models)

#### **EXPLOSION PROOF DUST IGNITION PROOF VACUUM**



- 15 gallon tank size
- Pick-up of hazardous material such as flammable liquids, finely pulverized dust & more
- · Class I Group D
- · Class II Group F & G
- · Static conductive casters & wheels

- · Available in 2 models
- Optional HEPA filtration
- 22-gauge, non-sparking stainless steel tank
- Operates at 72 dB
- · 50' STWA safety cable
- UL listed

#### **LEAD VACUUM**



- 6 gallon tank size
- .46 cu. ft. dry capacity
- Recovers lead, dust, paint chips & other hazardous materials
- · Operates at 72 dB
- 50' STWA safety cable
- · UL listed

 Dry recovery unit vacuums directly into a disposable collection bag

#### FLAMMABLE LIQUID RECOVERY VACUUM



- 55 gallon tank size
- 45 gallon wet capacity
- 7.16 cu. ft. dry capacity
- Air operated, non-electric safe recovery of hazardous liquids
- Standard lid assembly
- No moving parts to replace

- · Locking lid latches
- Standard explosion-proof tool kit with 14" floor squeegee tool
- Sturdy all-steel dolly with 5" conductive wheels for easy transporting
- UL listed

#### **MERCURY RECOVERY SYSTEM**



- 6 & 15 gallon tank sizes
- Available in 5 models
- Optional HEPA filter
- Safe clean-up of liquid mercury & mercury contaminated soil & air
- · Large capacity activated carbon filter
- Standard with tool kit

 U.L.P.A. filters are 99.999% efficient at 0.12 microns

800.323.9420

#### MINUTEMAN INTERNATIONAL

# **MINUTEMAN**

Minuteman offers a complete line of commercial and industrial maintenance products for today's cleaning industry. Our wide range of products includes walk-behind and ride-on auto scrubbers, critical filter vacuums, air vacuums, floor machines, battery and propane burnishers, commercial vacuums and industrial tank vacuums for dry or wet/dry application, carpet vacuums and extractors, and sweepers. There is a Minuteman machine for every application.

# **POWERBOSS**

PowerBoss is a full line manufacturer of sweepers, scrubbers and combination sweeper/scrubbers for industrial applications. PowerBoss has been an innovator and leader in the industrial market since 1984. The PowerBoss full line of industrial sweepers and scrubbers will handle your most challenging jobs. Whether you have a congested area inside, or wide open spaces outside, our products meet your needs.

# **MULTI-CLEAN**

Multi-Clean is a manufacturer of high performance cleaning and floor maintenance products, incorporated since 1946, with a history of producing quality janitorial chemicals, including floor finish, floor strippers, cleaners, disinfectants, sanitizers, restroom cleaning products, carpet cleaners and stain removers. Multi-Clean also offer concrete sealers, industrial degreasers, wood gym floor finish, and a complete line of liquid hand soap and foam soap. Multi-Clean is a Green Cleaning Leader through green products, knowledge, education and training.

#### **MISSION STATEMENT**

To provide a complete range of cleaning equipment and solutions for commercial and industrial applications that deliver exceptional VALUE and exceed customer desires.

#### INNOVATION & TECHNOLOGY

Minuteman prides itself on understanding the needs and wants of the industry and being able to provide innovative solutions. With this in mind, we offer the Aqua-Stop system, maintenance free gel batteries, on-board chargers, simplified controls and many other advancements that support our customers and the green movement.

#### **SERVICE & SUPPORT**

20

We're here to help. Our knowledgeable and friendly staff members, from customer service, product managers, service technicians and sales, are here to support you from selection of equipment to after sales support.

# S.P.O.R.T.

## SCRUB | POLISH | OR | REMOVE | TOP TWO COATS

All of the features and the advanced technology that make the E-series an outstanding daily auto scrubber are only enhanced by the integration of the SPORT technology. SPORT (Scrub Polish or Remove Top Two Coats) can easily and economically provide users with the means to perform chemical free surface preparation and/or the removal of floor finish to effectively clean, polish, and restore floors.

- SPORT technology is the newest inclusion to the highly regarded Minuteman E series line of Auto Scrubbers.
- The SPORT technology can easily and economically provide users with the means to perform chemical free surface preparation and/or the removal of floor finish to effectively clean and restore floors.
- Easy to understand controls ensure that our machines are simple to operate.
- The compact and sleek designs result in total operator comfort by focusing on ergonomics and provides an excellent line of sight to the area to be cleaned.
- Ergonomic designs offer superior handling of our machines and the traction drive models
  offer even more ergonomic advantages such as adjustable speed regulation with the turn of a
  dial.

